

DRIPPING WATER TEST REPORT

Company : Getac Technology Corporation
 Address : 5F., Building A, No. 209, Sec. 1, Nangang Rd., Nangang Dist.,
Taipei 11568, Taiwan, R.O.C.
 Sample Name : Getac S410 Notebook
 Date Received : MAR 14, 2016
 Date Tested : MAR 14, 2016

TESTING LABORATORY IS ACCREDITED BY:

ISO 17025 accredited in respect of laboratory is approved by TAF
 Certificate No. : L3146-151112
 ISTA certified laboratory (ID: ST-9389)

WE HEREBY CERTIFY THAT:

The test(s) shown in the attachment were conducted according to the indicating procedures. We assume full responsibility for the accuracy and completeness of these tests and vouch for the qualifications of all personnel performing them.

	Name	Signature	Date
Test Engineer	Sunny Yeh	<i>Sunny Yeh</i>	Mar 17, 2016
Manager	Injel Chen	<i>Injel Chen</i>	Mar 17, 2016

NOTE :

1. This report will be invalid if reproduced in part or altered in any way.
2. This report refers only to the specimen(s) submitted to test, and is invalid if used otherwise.
3. This report is ONLY valid with the examination seal and signature of this institute.
4. The tested specimen(s) will only be preserved for thirty days from the date issued, if not collected by the applicant.



2. DRIPPING WATER TEST

2.1 TEST EQUIPMENT

Model	Serial Number	Calibration Date
Vötsch VSPT 200-S	59566059660010	APR 08, 2015

2.2 LABORATORY AMBIENCE CONDITION

Temperature : 25 °C ± 10 °C

Relative humidity : 50 % ± 25 % (RH)

2.3 REFERENCE DOCUMENT

This test method refers to IEC / EN 60529 - 2013 IPX2 test for protection against water.

2.4 TEST CONDITION

Unit is operating.

Rain volume : 3 mm / minute

Test length : 2.5 minutes for each position of tilt

Unit setup method : Unit in fixed position of 15° tilt

Duration of test : 2.5 minutes for each face (Total of 10 minutes)

Orientation of test : Front, rear, left and right faces